

Serial No.: 09/752,100

Attorney's Docket No.:10559/322001/P9683

Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1. (currently amended) A method comprising:

replicating current contents of a screen on a UNIX-based machine onto a new screen running in a background of the UNIX-based machine;

prompting a first user at [[a]] the UNIX-based machine for permission for a second user at a machine remotely-located from the UNIX-based machine to control the UNIX-based machine; and

if the first user grants permission, enabling the second user to use the UNIX-based machine through the machine remotely-located from the UNIX-based machine.

2. (original) The method of claim 1 in which the prompting comprises making the prompt known to the first user by displaying information on a display of the UNIX-based machine.

3. (original) The method of claim 1 in which the second user uses the UNIX-based machine through the machine remotely-located from the UNIX-based machine as if the second user was directly using the UNIX-based machine.

4. (cancelled)

Serial No.: 09/752,100

Attorney's Docket No.: 10559/322001/P9683

5. (currently amended) The method of claim [[4]] 1 further comprising adding to the new screen a prompt that asks the first user for the permission.

6. (currently amended) The method of claim [[4]] 1 further comprising replacing the current contents of the screen on the UNIX-based machine with the new screen.

7. (original) The method of claim 1 in which the using of the UNIX-based machine includes issuing text commands to the UNIX-based machine from the machine remotely-located from the UNIX-based machine.

8. (original) The method of claim 1 further comprising, if the first user does not grant permission, preventing the second user from using the UNIX-based machine through the machine remotely-located from the UNIX-based machine.

9. (original) The method of claim 1 further comprising, if the first user at the UNIX-based machine does not respond to the prompting within a certain threshold time, enabling by default the second user to use the UNIX-based machine.

10. (original) The method of claim 1 in which the prompting is text-based.

Serial No.: 09/752,100

Attorney's Docket No.: 10559/322001/P9683

11. (currently amended) An article comprising:  
a machine-readable medium which stores machine-executable  
instructions, the instructions causing a machine to:

replicate current contents of a screen on a UNIX-based  
machine onto a new screen running in a background of the  
UNIX-based machine;

prompt a first user at [[a]] the UNIX-based machine for  
permission for a second user at a machine remotely-located from  
the UNIX-based machine to control the UNIX-based machine; and

if the first user grants permission, enable the second user  
to use the UNIX-based machine through the machine  
remotely-located from the UNIX-based machine.

12. (original) The article of claim 11 in which the  
prompting includes making the prompt known to the first user by  
displaying information on a display of the UNIX-based machine.

13. (original) The article of claim 11 in which the second  
user uses the UNIX-based machine through the machine  
remotely-located from the UNIX-based machine as if the second  
user was directly using the UNIX-based machine.

14. (cancelled)

Serial No.: 09/752,100

Attorney's Docket No.: 10559/322001/P9683

15. (currently amended) The article of claim [[14]] 11 further causing a machine to add to the new screen a prompt that asks the first user for the permission.

16. (currently amended) The article of claim [[14]] 11 further causing a machine to replace the current contents of the screen on the UNIX-based machine with the new screen.

17. (original) The article of claim 11 in which the using of the UNIX-based machine includes issuing text commands to the UNIX-based machine from the machine remotely-located from the UNIX-based machine.

18. (original) The article of claim 11 further causing a machine to, if the first user does not grant permission, prevent the second user from using the UNIX-based machine through the machine remotely-located from the UNIX-based machine.

19. (original) The article of claim 11 further causing a machine to, if the first user at the UNIX-based machine does not respond to the prompting within a certain threshold time, enable by default the second user to use the UNIX-based machine.

20. (original) The article of claim 11 in which the prompting is text-based.

Serial No.: 09/752,100

Attorney's Docket No.:10559/322001/P9683

21. (currently amended) A system comprising:  
a first device configured to run UNIX; and  
a mechanism accessible by the first device and configured to run a process on the first device transparently to a user of the first device, the process configured to replicate current contents of a screen on the first device onto a new screen running in a background of the first device and prompt the user of the first device for permission for a remote user at a second device at a location remote from the first device to input instructions to the first device from the second device.

22. (original) The system of claim 21 in which the process is also configured to, if the user of the first device grants permission, enable the remote user to use the first device through the second device as if the remote user was directly using the first device.

23. (original) The system of claim 21 further comprising a second mechanism accessible by the second device and configured to notify the first device when the remote user desires to input instructions to the first device from the second device.

24. (previously presented) The system of claim 21 in which the process is also configured to continuously run on the first device.

Serial No.: 09/752,100

Attorney's Docket No.: 10559/322001/P9603

25. (original) A method comprising:

replicating current contents of a display screen visible to a user on a UNIX-based device onto a new screen not visible on the display screen to the user;

inserting a prompt on the new screen to a user of the UNIX-based device to grant permission for a remote device at a location remote from the UNIX-based device to control the UNIX-based device; and

replacing the current contents of the display screen with the new screen, the new screen visible to the user on the UNIX-based device.

26. (original) The method of claim 25 further comprising, after the user responds to the prompt, returning the UNIX-based device back to the current contents of the display screen.

27. (original) A method comprising:

replicating current contents of a screen on a UNIX-based machine onto a new screen running in a background of the UNIX-based machine;

adding to the new screen a text prompt prompting a first user at the UNIX-based machine for permission for a second user at a machine remotely-located from the UNIX-based machine to control the UNIX-based machine; and

Serial No.: 09/752,100

Attorney's Docket No.: 10559/322001/P9683

replacing the current contents of the screen with the new screen.

28. (original) The method of claim 27 further comprising determining if the second user may control the UNIX-based machine based on a response to the text prompt by the first user.

29-30. (cancelled)

31. (previously presented) A machine-implemented method comprising:

receiving a request at a first programmable data processing machine for provision of remote operational control of the first machine to a second data processing machine, the first machine being a UNIX-based machine;

determining whether a user interface of the first machine is operating in a text mode; and

if the first machine user interface is operating in the text mode, allocating a virtual console running in a background of the first machine, adding a prompt to the virtual console asking for authorization of the request, and switching the virtual console to be a currently active console in the first machine.

Serial No.: 09/752,100

Attorney's Docket No.: 10559/322001/P9683

32. (currently amended) The method of claim ~~[[21]]~~ 31,  
further comprising:

if the first machine user interface is operating in the  
text mode, replicating contents of an originally active console  
to the virtual console before adding the prompt and switching  
the virtual console to be the currently active console; and

after receiving an input or a time out, switching the  
originally active console to then be the currently active  
console, and deallocating the virtual console.